

# ACM SIGGRAPH / Eurographics Symposium of Computer Animation 2022

Hybrid Symposium hosted at Durham University, UK

13 – 15 September 2022

---

## Conference Co-Chairs

Hubert P. H. Shum, Durham University  
Julien Pettre, Inria

## Program Co-Chairs

Dominik L. Michels, KAUST  
Sören Pirk, Adobe Research

## Sponsors and Supporters



## Table of Contents

### Animation and Simulation Techniques I

Physically Based Shape Matching . . . . .	1
<i>Matthias Müller, Miles Macklin, Nuttapon Chentanez, and Stefan Jeschke</i>	
Fast Numerical Coarsening with Local Factorizations . . . . .	9
<i>Zhongyun He, Jesús Pérez, and Miguel A. Otaduy</i>	
Stability Analysis of Explicit MPM . . . . .	19
<i>Song Bai and Craig Schroeder</i>	
Wassersplines for Neural Vector Field-Controlled Animation . . . . .	31
<i>Paul Zhang, Dmitriy Smirnov, and Justin Solomon</i>	
Voronoi Filters for Simulation Enrichment . . . . .	43
<i>Juan J. Casafranca and Miguel A. Otaduy</i>	

### Animation and Simulation Techniques II

Differentiable Simulation for Outcome-Driven Orthognathic Surgery Planning . . . . .	53
<i>Daniel Dorda, Daniel Peter, Dominik Borer, Niko Benjamin Huber, Irena Sailer, Markus Gross, Barbara Solenthaler, and Bernhard Thomaszewski</i>	
High-Order Elasticity Interpolants for Microstructure Simulation . . . . .	63
<i>Antoine Chan-Lock, Jesús Pérez, and Miguel A. Otaduy</i>	
Surface-Only Dynamic Deformables using a Boundary Element Method . . . . .	75
<i>Ryusuke Sugimoto, Christopher Batty, and Toshiya Hachisuka</i>	
A Second Order Cone Programming Approach for Simulating Biphasic Materials . . . . .	87
<i>Pengbin Tang, Stelian Coros, and Bernhard Thomaszewski</i>	
A Second-Order Explicit Pressure Projection Method for Eulerian Fluid Simulation . . . . .	95
<i>Junwei Jiang, Xiangda Shen, Yuning Gong, Zeng Fan, Yanli Liu, Guanyu Xing, Xiaohua Ren, and Yanci Zhang</i>	

### Motion I

Combining Motion Matching and Orientation Prediction to Animate Avatars for Consumer-Grade VR Devices . . . . .	107
<i>Jose Luis Ponton, Haoran Yun, Carlos Andujar, and Nuria Pelechano</i>	
Sketching Vocabulary for Crowd Motion . . . . .	119
<i>C. D. Tharindu Mathew, Bedrich Benes, and Daniel Aliaga</i>	
A Fusion Crowd Simulation Method: Integrating Data with Dynamics, Personality with Common . . . . .	131
<i>Tianlu Mao, Ji Wang, Ruoyu Meng, Qinyuan Yan, Shaohua Liu, and Zhaoqi Wang</i>	
Cognitive Model of Agent Exploration with Vision and Signage Understanding . . . . .	143
<i>Colin Johnson and Brandon Haworth</i>	

## Table of Contents

### Motion II

Pose Representations for Deep Skeletal Animation . . . . .	155
<i>Nefeli Andreou, Andreas Aristidou, and Yiorgos Chrysanthou</i>	
Generating Upper-Body Motion for Real-Time Characters Making their Way through Dynamic Environments . . . . .	169
<i>Eduardo Alvarado, Damien Rohmer, and Marie-Paule Cani</i>	
Neural3Points: Learning to Generate Physically Realistic Full-body Motion for Virtual Reality Users . . . . .	183
<i>Yongjing Ye, Libin Liu, Lei Hu, and Shihong Xia</i>	
UnderPressure: Deep Learning for Foot Contact Detection, Ground Reaction Force Estimation and Footskate Cleanup . . . . .	195
<i>Lucas Mourot, Ludovic Hoyet, François Le Clerc, and Pierre Hellier</i>	
Synthesizing Get-Up Motions for Physics-based Characters . . . . .	207
<i>Anthony Frezzato, Arsh Tangri, and Sheldon Andrews</i>	

### Capture, Tracking, and Facial Animation

Local Scale Adaptation to Hand Shape Model for Accurate and Robust Hand Tracking . . . . .	219
<i>Pratik Kalshetti and Parag Chaudhuri</i>	
Tiled Characteristic Maps for Tracking Detailed Liquid Surfaces . . . . .	231
<i>Fumiya Narita and Ryoichi Ando</i>	
Monocular Facial Performance Capture Via Deep Expression Matching . . . . .	243
<i>Stephen W. Bailey, Jérémy Riviere, Morten Mikkelsen, and James F. O'Brien</i>	
Voice2Face: Audio-driven Facial and Tongue Rig Animations with cVAEs . . . . .	255
<i>Monica Villanueva Aylagas, Hector Anadon Leon, Mattias Teye, and Konrad Tollmar</i>	
Facial Animation with Disentangled Identity and Motion using Transformers . . . . .	267
<i>Prashanth Chandran, Gaspard Zoss, Markus Gross, Paulo Gotardo, and Derek Bradley</i>	
Detailed Eye Region Capture and Animation . . . . .	279
<i>Glenn Kerbiriou, Maud Marchal, and Quentin Avril</i>	

### Learning

Learning Physics with a Hierarchical Graph Network . . . . .	283
<i>Nuttapong Chentanez, Stefan Jeschke, Matthias Müller, and Miles Macklin</i>	
PERGAMO: Personalized 3D Garments from Monocular Video . . . . .	293
<i>Andrés Casado-Elvira, Marc Comino Trinidad, and Dan Casas</i>	
Context-based Style Transfer of Tokenized Gestures . . . . .	305
<i>Shigeru Kuriyama, Tomohiko Mukai, Takafumi Taketomi, and Tomoyuki Mukasa</i>	

## Table of Contents

MP-NeRF: Neural Radiance Fields for Dynamic Multi-person synthesis from Sparse Views .....	317
<i>Xian Jin Chao and Howard Leung</i>	
Interaction Mix and Match: Synthesizing Close Interaction using Conditional Hierarchical GAN with Multi-Hot Class Embedding .....	327
<i>Aman Goel, Qianhui Men, and Edmond S. L. Ho</i>	

## Editor's Note

The origin of computer animation dates back at least to the early 20th century when pioneers such as the cartoonist Winsor McCay started to generate sequences of animated images. McCay's 1914 work *Gertie the Dinosaur* – widely considered as a breakthrough establishing the new genre of animated film – has been the first to use animation loops, keyframes, and registration marks. With the advent of the digital era and the attendant increase of digital computers, animation techniques developed rapidly and became more sophisticated. In the 1990s, the first feature-length film made entirely on computers, *Toy Story*, has been produced by *Pixar* on behalf of *Disney* for the cinema.

Today, the creation of impressive three-dimensional scenes and deceptively real special effects are state-of-the-art. These developments would not have been possible without dedicated research in this area, and therefore it is not surprising that computer animation has always been at the core of the computer graphics community and advances have been primarily presented at the main North American graphics conference *SIGGRAPH* and at its European counterpart *Eurographics*.

In 2002, the community established an animation-focused academic venue next to the flagship *SIGGRAPH* and *Eurographics* conferences: This year, we celebrate the 20th anniversary of the *ACM SIGGRAPH/Eurographics Symposium on Computer Animation (SCA)* and its 21st edition. *SCA 2022* takes place as a hybrid symposium hosted at *Durham University* with the support of its chairs and a diverse team of 55 experts from leading institutions serving on the international program committee. Moreover, the list of *SCA*'s sponsors comprising *Adobe*, *Disney Research Studios*, *KAUST Visual Computing Center*, and *Google* reflects the industrial need of the presented topics which have to be understood as animation and simulation in a broad sense, defined as computation dealing with time-varying phenomena. While at the beginning of computer animation, the focus has almost exclusively been on movies and later on games, today the spectrum ranges from controlling smart agents in robotics over complex autonomous driving simulators to cloth animation for virtual try-on applications in e-commerce. Computer animation has truly become a key enabling technology for a diverse set of applications spanning digital services, medicine, robotics, consumer electronics and entertainment, as well as scientific discovery, to name just a few. Ongoing developments in virtual and augmented reality as well as in the context of the so-called metaverse reinforce this trend.

The *SCA* community has been and will be at the forefront of these developments and the conference will continue to be the premier forum for innovations in computer animation and simulation. This is reflected by this year's 78 submitted and 30 accepted academic papers corresponding to the highest number of submissions as well as the most accepted papers since ten years. With an acceptance rate of 38.5%, we are slightly below the average acceptance rate of the previous ten *SCA* conferences indicating that the increase of papers did not compromise quality. We are more than happy to present this year's papers included in this issue of *Eurographics'* flagship journal *Computer Graphics Forum* to the community.

Sincerely,

Dominik L. Michels, *KAUST*, Program Co-Chair and Guest Editor  
Sören Pirk, *Adobe Research*, Program Co-Chair and Guest Editor

## International Program Committee

Mridul Aanjaneya, Rutgers University  
Ryoichi Ando, Kyushu University  
Sheldon Andrews, École de Technologie Supérieure  
Andreas Aristidou, University of Cyprus  
Yunfei Bai, X Development  
Jernej Barbic, University of Southern California  
Christopher Batty, University of Waterloo  
Jan Bender, RWTH Aachen University  
Bedrich Benes, Purdue University  
Aniket Bera, University of Maryland  
Nuttapong Chentanez, NVIDIA  
Yiorgos Chrysanthou, University of Cyprus  
Zhigang Deng, University of Houston  
Funda Durupinar, University of Massachusetts Boston  
Kenny Erleben, University of Copenhagen  
Tsukasa Fukusato, University of Toyko  
Eitan Grinspun, University of Toronto  
Edmond S. L. Ho, Northumbria University  
Jessica Hodgins, Carnegie Mellon University  
Jin Huang, Zhejiang University  
Doug James, Stanford University / Pixar  
Mubbasir Kapadia, Rutgers University  
Theodore Kim, Yale University  
Vladimir (Vova) Kim, Adobe  
Jonathan Klein, University of Bonn  
Sung-Hee Lee, Korea Advanced Institute of Science and Technology  
Xiaohui Liang, Beihang University  
Libin Liu, Peking University  
Shiguang Liu, Tianjin University  
Maud Marchal, INRIA / INSA  
Matthias Müller-Fischer, NVIDIA  
Soraia Musse, PUCRS  
Michael Neff, University of California Davis  
Junyong Noh, KAIST  
Dinesh Pai, University of British Columbia  
Nuria Pelechano, Universitat Politècnica de Catalunya  
Tiberiu Popa, Concordia University  
Damien Rohmer, École polytechnique  
Manolis Savva, Simon Fraser University  
Craig Schroeder, University of California Riverside  
Ari Shapiro, ByteDance  
Tamar Shinar, University of California Riverside  
Eftychios Sifakis, University of Wisconsin-Madison  
Breannan Smith, Facebook Reality Labs  
Srinath Sridhar, Brown University

## **International Program Committee**

Alexey Stomakhin, Unity / Weta  
Hao Su, University of California San Diego  
Jie Tan, Google  
Matthias Teschner, University of Freiburg  
Etienne Vouga, University of Texas at Austin  
He Wang, University of Leeds  
Rene Winchenbach, University of Siegen  
Yuting Ye, Oculus Research  
Zerrin Yumak, Utrecht University  
Bo Zhu, Dartmouth College



## Author Index

Aliaga, Daniel	119	Kalshetti, Pratik	219
Alvarado, Eduardo	169	Kerbiriou, Glenn	279
Ando, Ryoichi	231	Kuriyama, Shigeru	305
Andreou, Nefeli	155	Leon, Hector Anadon	255
Andrews, Sheldon	207	Leung, Howard	317
Andujar, Carlos	107	Liu, Libin	183
Aristidou, Andreas	155	Liu, Shaohua	131
Avril, Quentin	279	Liu, Yanli	95
Aylagas, Monica Villanueva	255	Macklin, Miles	1, 283
Bai, Song	19	Mao, Tianlu	131
Bailey, Stephen W.	243	Marchal, Maud	279
Batty, Christopher	75	Mathew, C. D. Tharindu	119
Benes, Bedrich	119	Men, Qianhui	327
Borer, Dominik	53	Meng, Ruoyu	131
Bradley, Derek	267	Mikkelsen, Morten	243
Cani, Marie-Paule	169	Mourot, Lucas	195
Casado-Elvira, Andrés	293	Mukai, Tomohiko	305
Casafranca, Juan J.	43	Mukasa, Tomoyuki	305
Casas, Dan	293	Müller, Matthias	1, 283
Chandran, Prashanth	267	Narita, Fumiya	231
Chan-Lock, Antoine	63	O'Brien, James F.	243
Chao, Xian Jin	317	Otaduy, Miguel A.	9, 43, 63
Chaudhuri, Parag	219	Pelechano, Nuria	107
Chentanez, Nuttapong	1, 283	Pérez, Jesús	9, 63
Chrysanthou, Yiorgos	155	Peter, Daniel	53
Clerc, François Le	195	Ponton, Jose Luis	107
Coros, Stelian	87	Ren, Xiaohua	95
Dorda, Daniel	53	Riviere, Jérémy	243
Fan, Zeng	95	Rohmer, Damien	169
Frezzato, Anthony	207	Sailer, Irena	53
Goel, Aman	327	Schroeder, Craig	19
Gong, Yuning	95	Shen, Xiangda	95
Gotardo, Paulo	267	Smirnov, Dmitriy	31
Gross, Markus	53, 267	Solenthaler, Barbara	53
Hachisuka, Toshiya	75	Solomon, Justin	31
Haworth, Brandon	143	Sugimoto, Ryusuke	75
He, Zhongyun	9	Taketomi, Takafumi	305
Hellier, Pierre	195	Tang, Pengbin	87
Ho, Edmond S. L.	327	Tangri, Arsh	207
Hoyet, Ludovic	195	Teye, Mattias	255
Hu, Lei	183	Thomaszewski, Bernhard	53, 87
Huber, Niko Benjamin	53	Tollmar, Konrad	255
Jeschke, Stefan	1, 283	Trinidad, Marc Comino	293
Jiang, Junwei	95	Wang, Ji	131
Johnson, Colin	143	Wang, Zhaoqi	131

## **Author Index**

Xia, Shihong .....	183	Yun, Haoran .....	107
Xing, Guanyu .....	95	Zhang, Paul .....	31
Yan, Qinyuan .....	131	Zhang, Yanci .....	95
Ye, Yongjing .....	183	Zoss, Gaspard .....	267

## Keynote

### The Path to Perception Engineering

*Steven LaValle*  
University of Oulu

#### Abstract

This talk starts with some motivational background from my own research on robot planning algorithms to the development of the Oculus Rift. This path has led us to propose that virtual reality (VR), and parts of other fields involving sensing and perception, can be reframed as perception engineering, in which the object being engineered is the perceptual illusion itself, and the physical devices that achieve it are auxiliary. This talk will report on our progress toward developing mathematical foundations that attempt to bring the human-centered sciences of perceptual psychology, neuroscience, and physiology closer to core engineering principles by viewing the design and delivery of illusions as a coupled dynamical system. The system is composed of two interacting entities: The organism and its environment, in which the former may be biological or even an engineered robot. Our vision is that the research community will one day have principled engineering approaches to design, simulation, prediction, and analysis of sustained, targeted perceptual experiences. It is hoped that this direction of research will offer valuable guidance and deeper insights into VR, robotics, graphics, and possibly the biological sciences that study perception. This work is supported by an ERC Advanced Grant (ILLUSIVE).

#### Biographical Note

Steven M. LaValle is Professor of Computer Science and Engineering, in Particular Robotics and Virtual Reality, at the University of Oulu. Since 2001, he has also been a professor in the Department of Computer Science at the University of Illinois. He has also held positions at Stanford University and Iowa State University. His research interests include robotics, virtual and augmented reality, sensing, planning algorithms, computational geometry, and control theory. In research, he is mostly known for his introduction of the Rapidly exploring Random Tree (RRT) algorithm, which is widely used in robotics and other engineering fields. In industry, he was an early founder and chief scientist of Oculus VR, acquired by Facebook in 2014, where he developed patented tracking technology for consumer virtual reality and led a team of perceptual psychologists to provide principled approaches to virtual reality system calibration, health and safety, and the design of comfortable user experiences. From 2016 to 2017 he was Vice President and Chief Scientist of VR/AR/MR at Huawei Technologies, Ltd. He has authored the books *Planning Algorithms, Sensing and Filtering*, and *Virtual Reality*. He currently leads an Advanced Grant from the European Research Council on the Foundations of Perception Engineering. More information: <http://lavalle.pl>

## Keynote

### **Oversharing in Virtual Reality: What does our motion reveal about us?**

*Rachel McDonnell*  
Trinity College Dublin

#### **Abstract**

In the early 1970s, psychologists investigated biological motion perception by attaching point-lights to the joints of the human body, known as ‘point light walkers’. These early experiments showed biological motion perception to be an extreme example of sophisticated pattern analysis in the brain, capable of easily differentiating human motions with reduced motion cues. Further experiments showed that biological motion is rich in psychological information such as social categories, emotional state, intentions, and underlying dispositions. Nowadays, motion data from reduced cues is routinely tracked using motion capture systems or even VR headsets and controllers and applied to virtual avatars in immersive virtual environments. This data contains psychological information that could be extracted, stored or even shared. In this talk, I will discuss research that I have conducted over the years on the perception of full-body motion capture and the effect of applying it to different avatar morphologies – ranging from photorealistic virtual humans to flesh-eating zombies! I will also discuss the implications for avatar-based interactions in immersive virtual worlds, as technology develops, and motion capture data becomes more accessible to all.

#### **Biographical Note**

Rachel McDonnell is an Associate Professor of Creative Technologies at Trinity College Dublin, Ireland. Her research focusses on animation of virtual characters, using perception to both deepen our understanding of how virtual characters are perceived, and directly provide new algorithms and guidelines for industry developers on where to focus their efforts. She has published over 100 papers in conferences and journals in her field, including many top-tier publications at venues such as SIGGRAPH, Eurographics, and IEEE TVCG, etc. She serves as Associate Editor on journals such as ACM Transactions on Applied Perception and Computer Graphics Forum, and is a regular member of many international program committees (including ACM SIGGRAPH and Eurographics). More information: <https://www.scss.tcd.ie/Rachel.McDonnell>

## Keynote

### Learning Motion-guided Dynamic Garment Details

*Niloy J. Mitra*

University College London (UCL)

#### Abstract

Realistic dynamic garments on animated characters have many AR/VR applications. While authoring such dynamic garment geometry is still a challenging task, data-driven simulation provides an attractive alternative, especially if it can be controlled simply using the motion of the underlying character. Over the last few years, we have developed deep learning methods to generate wrinkles, neural garments, and motion-guided dynamic 3D garments, especially loose garments. We focus on taking inspiration from classical garment simulation literature and learning data priors that generalize to new body shapes, motion types, and garment dimensions. In this talk, I will describe our findings and discuss open challenges in this area.

#### Biographical Note

Niloy J. Mitra leads the Smart Geometry Processing group in the Department of Computer Science at University College London and the Adobe Research London Lab. He received his PhD from Stanford University under the guidance of Leonidas Guibas. His current research focuses on developing machine learning frameworks for generative models for high-quality geometric and appearance content for CG applications. Niloy received the 2019 Eurographics Outstanding Technical Contributions Award, the 2015 British Computer Society Roger Needham Award, and the 2013 ACM SIGGRAPH Significant New Researcher Award. He was elected as a fellow of Eurographics in 2021 and the SIGGRAPH Technical Papers Chair 2022. Besides research, Niloy is an active DIYer and loves reading, cricket, and cooking. More information: <http://geometry.cs.ucl.ac.uk>

## Keynote

### Future Animation Systems

*Daniel Holden*

Principal Animation Programmer Epic Games

#### Abstract

Ten years ago, the ideas behind Physically Based Animation began to revolutionize rendering - not through specific methods or implementations - but via the philosophy they implied. I believe that if we want to build animation systems of the future we need to go through a similar philosophical shift. In this talk I will discuss some of the lessons we can learn from this history of rendering, what challenges (and advantages) we have that are unique to animation, and how some of my previous research has tried to both tackle these challenges and exploit the advantages to get us closer to that future.

#### Biographical Note

Daniel Holden is a Principal Animation Programmer at Epic Games doing research and development on animation in the Unreal Engine. Before this he worked at Ubisoft's industrial research lab "La Forge", developing techniques using Machine Learning in various areas of video game development such as animation and physics. He completed his PhD at The University of Edinburgh in 2017 with work focused on the use of neural networks and machine learning for character animation. His research has been presented at a number of conferences including SIGGRAPH, SIGGRAPH Asia, and GDC. More information: <https://theorangeduck.com>